

# Network License Installation Instructions

---

Network licenses include one LICENSE MANAGER that allows client computers to access licenses when on the same network. The license manager can be installed on any computer on the network that remains on and accessible from other computers on the network. Installation on a server is NOT required.

Network licenses are enabled by a 19-digit SL key, or a red USB HASP key.

## IMPORTANT LICENSE INSTRUCTIONS

### **Please read the following very carefully before installation**

\*\*The 19-digit SL key is locked to the computer you activate it on. It can be manually transferred to another computer if needed, but it is STRONGLY recommended that the license manager is installed on a stable machine that is not likely to be reconfigured, reimaged or reformatted. If moving the license to another computer, contact support@pvisoftware.com BEFORE CHANGES ARE MADE TO THE COMPUTER and you will be provided with instructions.

\*\* **DO NOT CLONE THE LICENSE MANAGER COMPUTER.** This is a common practice with virtual servers, but will DEACTIVATE the license manager and you WILL LOSE ACCESS to the software.

\*\*The license manager computer's IP address must be STATIC. The IP address will be used by client computers to obtain a license from the license manager.

\*\* If you use Virtual Machines (VMs) and the network license was enabled by a 19-digit SL key, create a snapshot from the virtual machine after the license is activated, otherwise you WILL LOSE the network license when you revert to a previous snapshot image file.

\*\* If you use Virtual Cluster and the network license was enabled by a 19-digit SL key, create a rule in the Cluster to ensure that the license server only runs on one host, otherwise you WILL LOSE the network license when the virtual machine switch to other hosts.

## LICENSE SERVER:

1. Install a PVI product.
2. Activated SL key or plug the dongle into the machine.
3. Open a web browser and go to the Sentinel Admin Control Center (ACC) at <http://localhost:1947/>.
4. Select CONFIGURATION on the left and then select the ACCESS FROM REMOTE CLIENTS tab.
5. Check the ALLOW ACCESS FROM REMOTE CLIENT box and click SUBMIT. See the example below.



## Sentinel Admin Control Center

Options

Configuration for Sentinel License Manager

Basic Settings Users Access to Remote License Managers **Access from Remote Clients** Detachable Licenses

Sentinel Keys  
Products  
Features  
Sessions  
Update/Attach  
Access Log  
**Configuration**  
Diagnostics  
Help  
About

**Allow Access from Remote Client**  You may experience a delay of a few minutes before your changes will take effect.

Access Restrictions

Show Recent Client Access The entries are evaluated in the order in which they are specified. As soon as a match is found, evaluation stops. **allow-all** is implicitly added to end of list

Submit Cancel Set Defaults

## CLIENT COMPUTERS:

1. Install the PVI product.
2. Open a web browser and go to the Sentinel Admin Control Center (ACC) at <http://localhost:1947/>
3. Select CONFIGURATION on the left and then select the ACCESS TO REMOTE LICENSE MANAGERS tab.
4. Check the ALLOW ACCESS TO REMOTE LICENSES box and input the LICENSE SERVER'S IP address in the SPECIFY SEARCH PARAMETERS field. Clicks SUBMIT. See the example below.

**Options**

Sentinel Keys  
Products  
Features  
Sessions  
Update/Attach  
Access Log  
**Configuration**  
Diagnostics  
Help  
About

### Configuration for Sentinel License Manager

**Basic Settings** | **Users** | **Access to Remote License Managers**

**Allow Access to Remote Licenses**  You may experience a delay of a few mi

**Broadcast Search for Remote Licenses**

**Aggressive Search for Remote Licenses**

**Specify Search Parameters** PRIMARY computer | IP address here.